



TECHNICAL BULLETIN

Zemea® Propanediol: An Effective Addition to Alcohol-based Hand Sanitizer Formulations

Introduction

The objective of this Technical Bulletin is to discuss the value-added benefits of using Zemea® Propanediol (1,3-Propanediol) as a multifunctional ingredient in alcohol-based hand sanitizer formulations versus glycerin and propylene glycol (PG).

Background

Hand sanitizer, also referred to as hand antiseptic or hand rub, is applied to the hands for the purpose of removing disease-causing organisms that are commonly known as pathogens. Hand sanitizers typically come in foam, gel, or liquid form. Their use is recommended when soap and water are not available for hand washing or when repeated hand washing compromises the natural skin barrier. Although the effectiveness of hand sanitizer is variable, it is employed as a simple means of infection control in a wide variety of settings, including day-care centers, schools, hospitals, health care clinics and from supermarkets to cruise ships.

Depending on the active ingredient used, hand sanitizers can be classified as one of two types: alcohol-based or alcohol-free. In fact, alcohol has been used as an antiseptic at least as early as 1363 with evidence to support its use becoming available in the late 1800s. Alcohol-based hand sanitizers have been commonly used in Europe since at least the 1980s. For the purpose of this technical bulletin, we will focus our efforts solely on alcohol-based hand sanitizers.

Alcohol-based products typically contain between 60 and 95 percent alcohol (v/v), usually in the form of ethanol, isopropanol, or *n*-propanol. At these concentrations, alcohol immediately denatures proteins, effectively neutralizing certain types of microorganisms. Additionally, many hand sanitizers also contain emollients (e.g. glycerin or 1,3-propanediol) that soothe the skin, thickening agents, and fragrance to mask the alcohol smell.

The effectiveness of hand sanitizer depends on multiple factors, including the way the product is applied (e.g., quantity used, duration of exposure, frequency of use) and whether the specific infectious agents present on a person's hands are susceptible to the active ingredient in the product. In general, alcohol-based hand sanitizers, if rubbed thoroughly over finger and hand surfaces for a period of 30 seconds, followed by complete air-drying, can effectively reduce populations of bacteria, fungi, and viruses (e.g., seasonal influenza and more recently COVID-19). Hand sanitizers can help control the transmission of infectious diseases, especially in settings where compliance with hand washing is poor. Likewise, in the workplace, the use of alcohol-based hand sanitizer has been associated with reductions in illness episodes and sick days. In hospitals and health care clinics, increased access to alcohol-based hand sanitizer has been linked to overall improvements in hand hygiene. Alcohol-based versions of hand sanitizers are on the World Health Organization's List of Essential Medicines, the safest and most effective medicines needed in a health system.



Safety

Agencies such as the World Health Organization (WHO) and the U.S. Centers for Disease Control and Prevention (CDC) promote the use of alcohol-based hand sanitizers over alcohol-free products. Concerns over the use of alcohol-based hand sanitizer have centered primarily on product flammability and ingestion, both unintentional and intentional. With proper storage and strategies that limit access to alcohol-containing sanitizer (e.g., issuing hand sanitizer to individuals), the risk of fire or poisoning from accidental or intentional ingestion of alcohol-based hand sanitizers is considered to be low.

Research has shown that alcohol-based hand sanitizers do not pose any risk by eliminating beneficial microorganisms that are naturally present on the skin. The body quickly replenishes the beneficial microbes on the hands, often moving them in from just up the arms where there are fewer harmful microorganisms. However, alcohol may strip the skin of its outer, essential lipophilic components, which may have negative effects on barrier function of the skin such as invasion through the compromised skin by a multitude of nefarious microbes. A study also shows that disinfecting hands with an antimicrobial detergent result in a greater barrier disruption of skin compared to alcohol solutions, suggesting an increased loss of skin lipids.

Zemea® Propanediol

Zemea® Propanediol is a natural, bio-based derived alternative to petroleum-based glycols for formulators who desire a multifunctional and innovative ingredient (**Figure 1**) that delivers high performance in a variety of consumer applications including cosmetics and personal care, food and flavors, pharmaceuticals, and laundry and household cleaners. It answers consumer demand for safe, pure, skin-friendly products. Zemea® propanediol functions well as an emollient, a humectant, an effective carrier of active ingredients, a preservative booster, a solubilizer, or a sensorial enhancer. Additionally, Zemea® propanediol is sustainably sourced and generates up to 40% less greenhouse gas emissions over its life, helping companies fulfill their sustainability goals without compromising on product quality.




Figure 1: Zemea® Propanediol: A multifunctional ingredient making formulating easier.



Benefits of Zemea® Propanediol

- Improves humectancy
- High purity, 99.8% propanediol, petroleum-free derived diol.
- Self-sterilizing and resistant to biological attack.
- Excellent sensory characteristics
- 100% sustainably and renewably sourced
- More efficient than propylene glycol in moisturizing the skin (short term).
- Produces no clinically significant dermal irritation or sensitization (up to 75%) versus Propylene Glycol.
- Combined with glycerin (1:1 up to 1:4), reduces tackiness and viscosity of finished product.
- Combined with glycerin contributes to both short-term and longer-term skin moisturization and skin hydration.
- Higher boiling point (214°C vs 188°C) and lower vapor pressure (0.0119 mmHg vs 0.08 mmHg) than propylene glycol (PG), respectively leading to increased skin contact and effective work of the hand sanitizer.

Alcohol-based Hand Sanitizers

WHO Recommended Alcohol-based Hand Sanitizer formulations

To help countries and health-care facilities to achieve system change and adopt alcohol-based hand sanitizer as the gold standard for hand hygiene in health care, WHO has identified formulations for local preparation. Logistic, economic, safety, cultural and religious factors have all been carefully considered by the WHO before recommending such formulations for use worldwide. Ingredient considerations were made concerning cost constraints and microbicidal activity for the WHO-recommended hand sanitizer formulations. The following two formulations are recommended for local production with a maximum of 50 liters per lot to ensure safety in production and storage.

Formulation 1			Formulation 2		
Ethanol 80% v/v, Glycerol 1.45% v/v, Hydrogen Peroxide (H ₂ O ₂) 0.125% v/v.			Isopropyl alcohol 75% v/v, glycerol 1.45% v/v, hydrogen peroxide 0.125% v/v.		
Ingredients	Volume, mL	Vol %	Ingredients	Volume, mL	Vol %
Ethanol, 96% v/v	833.3	83.33	Isopropyl Alcohol, 99.8% v/v	751.5	75.15
Hydrogen Peroxide, 3%	41.7	4.17	Hydrogen Peroxide, 3%	41.7	4.17
Glycerol, 98%	14.5	1.45	Glycerol, 98%	14.5	1.45
Distilled Water	110.5	11.05	Distilled Water	192.3	19.23
Total	1000.0	100.00	Total	1000.0	100.00

Table 1. WHO recommended Alcohol-based Hand Sanitizer formulations



Notes:

- Glycerol: used as humectant, but other emollients may be used for skin care, if they are cheap, widely available, miscible in water and alcohol, and do not contribute toxicity or promote allergic reactions.
- Hydrogen peroxide: used to inactivate contaminating bacterial spores in the solution and is not an active substance for hand antisepsis.
- Any further additive to both formulations should be clearly labelled and be non-toxic in case of accidental ingestion.
- A colorant may be added to allow differentiation from other fluids, but should not add to toxicity, promote allergy, or interfere with antimicrobial properties. The addition of perfumes or dyes is not recommended due to risk of allergic reactions.
- https://www.who.int/gpsc/information_centre/handrub-formulations/en/

In an effort to take advantage of the benefits of Zemea® Propanediol and the synergistic effect characteristics experienced when blending with glycerin (glycerol), the follow alcohol-based hand sanitizer formulations provided in Table 2 (ethanol-based) and Table 3 (isopropanol-based) are presented as modifications of the WHO recommended formulations where the additions are emollients used in skin care, widely available, miscible in water and alcohol and do not contribute toxicity or allergens to the core formulation.

Hand Sanitizer Formulations including Zemea® Propanediol

Formulation 1			Formulation 2		
Ethanol 80% v/v, Glycerol 1.45% v/v, Zemea® PDO 2.50 v/v, Hydrogen Peroxide (H ₂ O ₂) 0.125% v/v.			Ethanol 80% v/v, glycerol 1.45% v/v, Zemea® PDO 5.00 v/v, Hydrogen peroxide 0.125% v/v.		
Ingredients	Volume, mL	Vol %	Ingredients	Volume, mL	Vol %
Ethanol, 96% v/v	833.3	83.33	Ethanol, 96% v/v	833.3	83.33
Hydrogen Peroxide, 3%	41.7	4.17	Hydrogen Peroxide, 3%	41.7	4.17
Glycerol, 98%	14.5	1.45	Glycerol, 98%	14.5	1.45
Zemea® PDO, 99.8%	25.0	2.50	Zemea® PDO, 99.8%	50.0	5.00
Distilled Water	85.5	8.55	Distilled Water	60.5	6.05
Total	1000.0	100.00	Total	1000.0	100.00

Table 2. Ethanol-based Hand Sanitizer formulations including Zemea® Propanediol

Formulation 3			Formulation 4		
IPA 75% v/v, Glycerol 1.45% v/v, Zemea® PDO 2.50 v/v, Hydrogen Peroxide (H ₂ O ₂) 0.125% v/v.			IPA 75% v/v, Glycerol 1.45% v/v, Zemea® PDO 5.00 v/v, Hydrogen peroxide 0.125% v/v.		
Ingredients	Volume, mL	Vol %	Ingredients	Volume, mL	Vol %
IPA, 99.8% v/v	751.5	75.15	IPA, 99.8% v/v	751.5	75.15
Hydrogen Peroxide, 3%	41.7	4.17	Hydrogen Peroxide, 3%	41.7	4.17
Glycerol, 98%	14.5	1.45	Glycerol, 98%	14.5	1.45
Zemea® PDO, 99.8%	25.0	2.50	Zemea® PDO, 99.8%	50.0	5.00
Distilled Water	167.3	16.73	Distilled Water	142.3	14.23
Total	1000.0	100.00	Total	1000.0	100.00

Table 3. Isopropanol-based Hand sanitizer formulations including Zemea® Propanediol.



Conclusions:

- Zemea® propanediol is a high performing, multifunctional, natural ingredient suited for hand sanitizer applications.
- Zemea® propanediol can provide good skin feel with reduced tackiness, improved humectancy for short-term and long-term skin moisturization and hydration benefits when blending with glycerin (glycerol).
- Zemea® propanediol is a material that is characterized as self-sterilizing and resistant to biological attack making it ideal for hand sanitizer applications.

For additional information or samples:

DuPont Tate & Lyle Bio Products Customer Service

198 Blair Bend Drive
Loudon, TN 37774

Tel: +1-866-404-7933

www.duponttateandlyle.com



Copyright © 2020 DuPont Tate & Lyle Bio Products Company, LLC. Zemea® is a registered trademark of DuPont Tate & Lyle Bio Products Company, LLC, for its brand of bio-based propanediol. All rights reserved.

This technical product information is presented in good faith and is believed to be accurate and reliable as of the date of publication. DuPont Tate & Lyle Bio Products makes no guarantee or warranty of any kind, expressed or implied, regarding the product or information contained herein. Purchaser assumes all risk and liability in acting on the information provided herein. It is the sole responsibility of the Purchaser to determine whether Zemea® propanediol is appropriate and suitable for the Purchaser's specific use and, as required, to obtain approval by appropriate regulatory authorities for such use. Statements concerning the use of Zemea® propanediol are not to be construed as recommendations, suggestions, or inducements to use it in the infringement of any patent or in violation of any applicable laws or regulations. DuPont Tate & Lyle Bio Products disclaims any liability for infringement of any patent by reason of customer's use of any products or information contained herein in combination with other materials or in any process. (3/2020)